

U of Iowa-272 Ad5CMVempty Plasmid: G0688 pacAd5CMVmcsSV40pA




Plasmid Features: 6210bp

Coordinates	Feature
Ad5:	16-368 and 1441-3899
mCMV:	385-907
MCS:	913-1002
SV40:	1003-1470
Ampicillin:	6007-5147 (Complimentary)

Antibiotic Resistance: Ampicillin.
Backbone: pBR322

Note: To check the integrity of the Ad5 plasmid, perform single restriction enzyme digestions with NheI or PacI, BssHIII, SacII and XmaI.



AATTAATTAAGCTAGCATCATCAATAATATACCTTATTTTGGATTGAAGCCAATATGATAATGAG
GGGGTGGAGTTTGTGACGTGGCGCGGGGCGTGGGAACGGGGCGGGTGACGTAGTAGTGTGGC
GGAAGTGTGATGTTGCAAGTGTGGCGGAACACATGTAAGCGACGGATGTGGCAAAAAGTGACGTT
TTTGGTGTGCGCCGGTGTACACAGGAAGTGACAATTTTCGCGCGGTTTTAGGCGGATGTTGTAG
TAAATTTGGGCGTAACCGAGTAAGATTTGGCCATTTTCGCGGGAAAACCTGAATAAGAGGAAGTG
AAATCTGAATAATTTTGTGTTACTCATAGCGCGTAATATTTGTCTAGGGAGATCAGCCTGCAGGT
CGTTACATAACTTACGGTAAATGGCCCCGCTGGCTGACCGCCCAACGACCCCCGCCATTGACG
TCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGA
GTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTA
TTGACGTCAATGACGGTAAATGGCCCCGCTGGCATTATGCCCAGTACATGACCTTATGGGACTT
TCCTACTTGGCAGTACATCTACGTATTAAGTCATCGCTATTACCATGGTGTATGCGGTTTTGGCAGT
ACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTCCACCCCAATTGACGT
CAATGGGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAATAATGTCGTAACAACCTCCGCC
CATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTGTAGT
GAACCGTCAGATGGTACCGTTTAACTCTGAGGTCGACGGTATCGATAAAGCTTGATATCGAATTC
CTGCAGCCCGGGGATCCACTAGTTCTAGAGCGGGCCGCACAGCGGGGAGATCCAGACATGAT
AAGATACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTG
AAATTTGTGATGCTATTGCTTTATTTGTAACCATTATAAGCTGCAATAAACAAGTTAACAACAAC
AATTGCATTCATTTTATGTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTAAAGCAAGTAAAA
CCTCTACAAATGTGGTATGGCTGATTATGATCCGGCTGCCTCGCGGTTTTCGGTGATGACGGTG
AAAACCTCTGACACATGCAGCTCCCGGAGACGGTCACAGCTTGTCTGTAAGCGGATGCCGGGAG
CAGACAAGCCCGTCAGGGCGCGTCAGCGGGTGTGGCGGGTGTGGGGCGCAGCCATGAGGTC
GACTCTAGTCCCCGCGGTGGCAGATCTGGAAGGTGCTGAGGTACGATGAGACCCGCACCAGGT
GCAGACCCTGCGAGTGTGGCGGTAAACATATTAGGAACCAGCCTGTGATGCTGGATGTGACCGA
GGAGCTGAGGCCCGATCACTTGGTGTGCTGGCCTGCACCCGCGCTGAGTTTGGCTCTAGCGATGAA
GATACAGATTGAGGTACTGAAATGTGTGGGCGTGGCTTAAGGGTGGGAAAGAATATATAAGGTG
GGGGTCTTATGTAGTTTTGTATCTGTTTTGTCAGCAGCCGCCGCCATGAGCACCAACTCGTTT
GATGGAAGCATTGTGAGCTCATATTTGACAACGCGCATGCCCCATGGGCCGGGGTGCCTCAGA
ATGTGATGGGCTCCAGCATTGATGGTCGCCCCGTCTGCCCGCAAACCTCTACTACCTTGACCTA
CGAGACCGTGTCTGGAACGCCGTTGGAGACTGCAGCCTCCGCCGCCGCTTACAGCCGCTGCAGCC
ACCGCCCGCGGGATTGTGACTGACTTTGCTTTCCTGAGCCCGCTTGCAAGCAGTGCAGCTTCCC
GTTTCATCCGCCCGCGATGACAAGTTGACGGCTCTTTTGGCACAAATTGGATTCTTTGACCCGGGA
ACTTAATGTCGTTTTCTCAGCAGCTGTTGGATCTGCGCCAGCAGGTTTTCTGCCCTGAAGGCTTCCCT
CCCCTCCAATGCGGTTTAAAAATAAAATAAAAAACCAGACTCTGTTTGGATTGGATCAAGCAA
GTGTCTTGTCTGCTTTATTTAGGGGTTTTGCGCGCGCGGTAGGCCCGGGACCAGCGGTCTCGGT
CGTTGAGGGTCCGTGTATTTTTTCCAGGACGTGGTAAAGGTGACTCTGGATGTTTCAAGTACAT
GGGCATAAGCCCGTCTCTGGGGTGGAGGTAGCACCCTGCAGAGCTTCATGCTGCGGGGTGGT
GTTGTAGATGATCCAGTCGTAGCAGGAGCGCTGGGCGTGGTGCCTAAAAATGTCTTTTCAAGTAC
AAGCTGATTGCCAGGGGCAGGCCCTTGGTGTAAAGTGTTTACAAAGCGGTTAAGCTGGGATGGGT
GCATACGTGGGGATATGAGATGCATCTTGGACTGTATTTTATAGTTGGCTATGTTCCAGCCATA
TCCCTCCGGGGATTATGTTGTGTCAGAACCACCAGCACAGTGTATCCGGTGCACCTTGGGAAATT
TGTCATGTAGCTTAGAAGGAAATGCGTGGAAGAACTGGAGACGCCCTTGTGACCTCCAAGATT
TTCCATGCATTTCGTCATAATGATGGCAATGGGCCACGGGCGGCGGCTGGGGCAAGATATTT
CTGGGATCACTAACGTCATAGTTGTGTTCCAGGATGAGATCGTCATAGGCCATTTTTACAAAGCG
CGGGCGGAGGGTGCCAGACTGCGGTATAATGGTTCATCCGGCCAGGGGCGTAGTTACCCCTC
ACAGATTTGCATTTCCCACGCTTTGAGTTCAGATGGGGGGATCATGTCTACCTGCGGGGCGATG
AAGAAAACGGTTTCCGGGGTAGGGGAGATCAGCTGGGAAGAAAGCAGGTTTCTGAGCAGCTGC
GACTTACCGCAGCCGGTGGGCCCGTAAATCACACCTATTACCGGCTGCAACTGGTAGTTAAGAG
AGCTGCAGCTGCCGTCATCCCTGAGCAGGGGGGCCACTTCGTTAAGCATGTCCCTGACTCGCAT
GTTTTCCCTGACCAAATCCGCCAGAAGGCGCTCGCCGCCAGCGATAGCAGTTCTTGCAAGGAA
GCAAAGTTTTTCAACGGTTTGGAGACCGTCCGCCGTAGGCATGCTTTTGGAGCGTTTGGACCAAGCA
GTTCCAGGCGGTCCCACAGCTCGGTCACCTGCTCTACGGCATCTCGATCCAGCATATCTCCTCG
TTTCGCGGGTTGGGGCGGCTTTCGCTGTACGGCAGTAGTCGGTGTCTCGTCCAGACGGGCCAGG
GTCATGTCTTTCCACGGGCGCAGGGTCCCTCGTCAGCGTAGTCTGGGTACGGTGAAGGGGTGCG

CTCCGGGCTGCGCGCTGGCCAGGGTGCCTTGGAGCTGGTCTGCTGGTGTGAAGCGCTGCC
GGTCTTCGCCCTGCGCGTCGGCCAGGTAGCATTGACCATGGTGTGCATAGTCCAGCCCCTCCGC
GGCGTGGCCCTTGGCGCGCAGCTTGCCCTTGGAGGAGGCGCCGCACGAGGGGCAGTGCAGACT
TTTGGGGCGTAGAGCTTGGGCGCGAGAAATACCGATTCCGGGGAGTAGGCATCCGCGCCGCA
GGCCCCGACAGCGGTCTCGCATTCCACGAGCCAGGTGAGCTCTGGCCGTTCCGGGGTCAAAAAC
AGGTTTCCCCATGCTTTTTGATGCGTTTCTTACCTCTGGTTTCCATGAGCCGGTGTCCACGCTC
GGTGACGAAAAGGCTGTCCGTGTCCCCGTATACAGACTTGAGAGGCCTGTCCCTCGACCCGATGCC
CTTGAGAGCCTTCAACCCAGTCAGCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCCGCCGA
CTTATGACTGTCTTCTTTATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTGGGTCATTTT
CGGCGAGGACCGCTTTCGCTGGAGCGCGACGATGATCGGCCTGTCGCTTGGGTATTCCGGAATC
TTGCACGCCCTCGCTCAAGCCTTCGTCACTGGTCCC GCCACCAAACGTTTCGGCGAGAAGCAGG
CCATTATCGCCGGCATGGCGGCCGACGCGCTGGGCTACGTCTTGTGGCGTTCCGCGACGCGAG
GCTGGATGGCCTTCCCATTATGATTCTTCTCGCTTCCGGCGGCATCGGGATGCCCGCGTTGCA
GGCCATGTGTCCAGGCAGGTAGATGACGACCATCAGGGACAGCTTCAAGGCCAGCAAAAAGC
CAGGAAACCGTAAAAAGGCCGCGTTGTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCAT
CACAAAAATCGACGCTCAAGTCAGAGGTGGCGAAAACCCGACAGGACTATAAAGATACCAGGCGT
TTCCCCCTGGAAGCTCCCTCGTGCCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCC
GCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCCGT
GTAGGTCGTTCCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCGTTACGCCGACCGCTGCGCC
TTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAAGACGACTTATCGCCACTGGCAGCAG
CCACTGGTAAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGT
GCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACC
TTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGCGGTGGTTTTT
TTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCCTTTGATCTTTCT
ACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTTTGGTCATGAGATTATCAA
AAAGGATCTTACCTAGATCCTTTTAAATTAATAAATGAAGTTTTAAATCAATCTAAAGTATATAG
AGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCACCTATCTCAGCGATCTGTCTA
TTTCGTTCCATCCATAGTTGCCTGACTCCCCGTCGTGTAGATAACTACGATACGGGAGGGCTTACC
ATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCACGCTACCGGCTCCAGATTTATCAGCA
ATAAACCCAGCCAGCCGGAAGGGCCGAGCGCAGAAGTGGTCCGCAACTTTATCCGCCTCCATCC
AGTCTATTAATTGTTGCCGGGAAGCTAGAGTAAGTAGTTCGCCAGTTAATAGTTTGGCAACGTT
GTTGCCATTGCTGCAGGCATCGTGGTGTACGCTCGTCTGTTGGTATGGCTTCATTACGCTCCG
GTTCCCAACGATCAAGGCGAGTTACATGATCCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTT
CGGTCCCTCCGATCGTTGTCAGAAGTAAGTTGGCCGCACTGTTATCACTCATGGTTATGGCAGCA
CTGCATAATTCTTACTGTCATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAAGTACTCAAC
CAAGTCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGGCCGGCGTCAACACGGGAT
AATACCGCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTGGAAAACGTTCTTCGGGGCGAA
AACTCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGA
TCTTCAGCATCTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGC
AAAAAAGGGAATAAGGGCGACACGAAATGTTGAATACTCATACTCTTCTTTTCAATATTATT
GAAGCATTATCAGGGTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAA
CAAATAGGGGTTCGCGCACTTTTCGGGAAATGTGCCACCTGACGTCTAAGAAACCATTATTA
TCATGACATTAACCTATAAAAATAGGCGTATCACGAGGCCCTTTCGTCTTC

Vector Bio-safety Information

At the University of Iowa, all varieties of viral vectors produced at the Viral Vector Core are required to be handled at Biosafety Level 2 (BSL2). In animal studies, adenoviral vectors require ABL2 containment. Please check with your institution's Biosafety Officer to confirm local requirements

Adenovirus Background:

Adenoviruses are very important tool in basic research. They are used to identify proteins role in different biological processes both *in vivo* and *in vitro*. Virus construction is performed using the RapAd™ System developed by the University of Iowa GTVC (For description, refer to the article "[A simple method for the rapid generation of recombinant adenovirus vectors](#)" published in [Gene Therapy 7:1034-1038, 2000](#)).


Adenovirus vectors prepared in the core are E1 and E3 deleted. They have a total E1a deletion (*m.u. 1.4 to 4.5) plus a partial E1b deletion (*m.u. 4.7 to 9.2). These deletions are what make the vector replication deficient. They also have a partial E3 deletion, 720bp for the sub360 backbone, a 1.6Kb deletion for the dl309 backbone and a 3.1Kb deletion for the total E3 deleted backbone.

*m.u = Map units (1 m.u = 360bp)

Characteristics:

- Episomal gene expression.
- Infects dividing and non-dividing cells.
- Transient high-level protein expression.
- Accommodates inserts of up to 7.5kb. Larger inserts can be added, provided that an equivalent part of the viral genome has been properly deleted.
- High viral titer can be produced, 1E+10 to 5E+10pfu/ml (1E+12pt/ml) to 8E+10 to 1E+11/ml (1E+13pt/ml).

Adenovirus Construction RapAd™ System



Disadvantages and adverse effects:

- Elicits host immune response, thus depleting the number of transduced cells *in-vivo*.
- Viral particles can be neutralized by the host immune response.
- Short-term expression of the transgene due to lack of integration into the host genome.

Recombination:

The recombinant adenoviruses can revert to wild type during virus production, thus packaging replication competent particles (RCA). For this reason, each new lot produced at the core is tested for the presence of RCA by immuno-staining.

References:

- **RapAd™ System:** Anderson RD, Haskell RE, Xia H, Roessler BJ, Davidson BL. *"A simple method for the rapid generation of recombinant adenovirus vectors"*. Gene Ther. 2000 Jun;7(12):1034-8
- **A195 Buffer:** [Evans RK](#), [Nawrocki DK](#), [Isopi LA](#), [Williams DM](#), [Casimiro DR](#), [Chin S](#), [Chen M](#), [Zhu DM](#), [Shiver JW](#), [Volkin DB](#). *Development of stable liquid formulations for adenovirus-based vaccines*. [J Pharm Sci](#). 2004 Oct;93(10):2458-7

Contact Information:**Viral Vector Core**

University of Iowa
500 Newton Road
221 Eckstein Medical Research Building
Iowa City, IA 52242
Tel: (319) 335-6726
vectors@uiowa.edu